SioGreen IR-30 POU Pro

Single Sink Point of Use

Applications

- Single Sink Hand Wash
- Medical Office Exam Room Sinks
- Restaurant/Bar Hand Wash Station
- Outdoor Kitchens Sink
- Campers and RV's
- Boats
- Small Office and Workplace Restrooms
- Industrial Wash Station

Features

- Easy installation. Mounts on the wall or under the sink. No T & P needed (check local codes)
- Patented Quartz Infrared Heating Elements
- Backflow Preventer
- Anti-Scald Protection No Dry Fire
- Adjustable Temperature settings
- LED Temperature Outlet Display
- Compact Design for Saving Space; Suitable for ADA compliant facilities
- Continuous Hot Water On-Demand
- Warranty- 2 years Full Replacement
- Maintenance free

Product Specifications

9" W x 11.5" H x 2.75" D
1 x 30 Amp Single Pole 3.4 kW/110V/SP
100 AMP
.98
5 lbs
White
Quartz heating elements
½" NPST
15 PSI
150 PSI
E212625 UL 499
US 8,744.252 B1













IR-30 POU Pro Flow Rates				
Temperature Rise				
75°	65°	55°	45°	35°
-	.5	.6	.7	1.0

SioGreen has engineered and patented an electric tankless water heater system that eliminates all metal heating elements. By utilizing our multiple high-powered Quartz Heating Elements, we also eliminate the main issue of heater failure, sediment and mineral scaling.

Our systems can either replace or enhance existing water heater systems. The patented quartz technology will heat water more efficiently with a longer lifespan, and no maintenance will be required.

As a result, SioGreen Tankless Water Heaters will save up to 60% on water heating costs and up to 20% of water usage.

Special Design Services

www.siogreenpro.com

Inquiries for unique applications are welcome. Call our Technical Service Department at 1-888-270-8452

Complies with UL 499

SioGreen IR-260 POU Pro

Single Sink Point of Use

Applications

- Single Sink Hand Wash
- Medical Office Exam Room Sinks
- Restaurant/Bar Hand Wash Station
- Outdoor Kitchens Sink
- Outdoor Pool Showers
- Campers and RV's
- Boats
- Small Office and Workplace Restrooms
- Industrial Wash Station

Features

- Easy installation. Mounts on the wall or under the sink. No T & P needed (check local codes)
- Patented Quartz Infrared Heating Elements
- Backflow Preventer
- Anti-Scald Protection No Dry Fire
- Adjustable Temperature settings
- Led Temperature Outlet Display
- Compact Design for Saving Space; Suitable for ADA compliant facilities
- Continuous Hot Water On-Demand
- Warranty- 2 years Full Replacement
- Maintenance free

Product Specifications

Dimensions:	9" W x 11.5" H x 2.75" D
AMP/kW/V/Phase	1 x 30 Amp Double Pole 6 kW/208/220/240 V/SP
Recommended Service	100 AMP
Energy Efficiency Rating	.98
Weight:	5 lbs
Color:	White
Element:	Quartz heating elements
Fittings:	½" NPST
Min Dynamic Operating pressure	15 PSI
Max. Dynamic Operating Pressure	150 PSI
UL Listed file number:	E212625 UL 499
U.S. Patent	US 8,744.252 B1















IR-260 POU Pro Flow Rates				
Temperature Rise				
75°	65°	55°	45°	35°
.5	.8	1.0	1.2	1.5

SioGreen has engineered and patented an electric tankless water heater system that eliminates all metal heating elements. By utilizing our multiple high-powered Quartz Heating Elements, we also eliminate the main issue of heater failure, sediment and mineral scaling.

Our systems can either replace or enhance existing water heater systems. The patented quartz technology will heat water more efficiently with a longer lifespan, and no maintenance will be required.

As a result, SioGreen Tankless Water Heaters will save up to 60% on water heating costs and up to 20% of water usage.

Special Design Services

www.siogreenpro.com

Inquiries for unique applications are welcome. Call our Technical Service Department at 1-888-270- 8452

SioGreen IR-288 POU Pro

SIDGREEN INFRARED TANKLESS WATER HEATERS

Small House/Apartment/Condo

Applications

- Single Bath House
- Mini Homes/Modular Homes
- Small Single Bath Condos
- Single Bath Mobile/Manufactured Homes
- Remote Bathrooms
- Pet Groomers and Clinics
- Small Office and Workplace
- Industrial Wash Station
- Solar Back-up

Features

- Easy installation. Mounts on the wall or under the sink. No T & P needed (check local codes)
- Patented Multiple High-Power Quartz Heating Elements
- Backflow Preventer
- Anti-Scald Protection No Dry Fire
- 45 Minute Overheating Pause Safety Feature
- Adjustable Temperature settings
- Led Temperature Outlet Display
- Compact Design for Saving Space; Suitable for ADA compliant facilities
- Continuous Hot Water On-Demand
- Warranty- 2 years Full Replacement
- Maintenance free

Product Specifications

Dimensions:	11.5" W x 17.5 H x 3" D
AMP/kW/V/Phase	1 x 40 Amp Double Pole 8.8 kW/208/220/240 V/SP
Recommended Service	125 AMP
Energy Efficiency Rating	.98
Weight:	11 lbs
Color:	White
Element:	Quartz heating elements
Fittings:	¾" NPT
Min Dynamic Operating pressure	15 PSI
Max. Dynamic Operating Pressure	150 PSI
UL Listed file number:	E212625 UL 499
U.S. Patent	US 8,744.252 B1











IR-288 POU Pro Flow Rates				
Temperature Rise				
75°	65°	55°	45°	35°
1.0	1.3	1.5	1.7	3.0

SioGreen has engineered and patented an electric tankless water heater system that eliminates all metal heating elements. By utilizing our multiple high-powered Quartz Heating Elements, we also eliminate the main issue of heater failure, sediment and mineral scaling.

Our systems can either replace or enhance existing water heater systems. The patented quartz technology will heat water more efficiently with a longer lifespan, and no maintenance will be required.

As a result, SioGreen Tankless Water Heaters will save up to 60% on water heating costs and up to 20% of water usage.

Special Design Services

www.siogreenpro.com

Inquiries for unique applications are welcome. Call our Technical Service Department at 1-888-270- 8452

SioGreen SIO-18 Pro Flex

Whole House/Commercial

Applications

- Multiple Bath Houses
- Simultaneous Running Utilities (2 Showers Sink)
- Large 2 Bath Condos
- Multi-Unit Commercial Systems
- Hybrid Systems with Storage Tank
- Hydronic Heating
- Radiant Heating
- Solar Back-Up

Features

- Easy installation. Mounts on the wall or under the sink. No T & P needed (check local codes)
- Patented Multiple High-Power Quartz Heating Elements
- Flexes to 14 kW where power is limited
- Internal Circuit Breaker Surge Protection
- Backflow Preventer
- Anti-Scald Protection No Dry Fire
- 45 Minute Overheating Pause Safety Feature
- Adjustable Temperature settings
- Led Temperature Outlet Display
- Compact Design for Saving Space; Suitable for ADA compliant facilities
- Continuous Hot Water On-Demand
- Warranty- 2 years Full Replacement
- Maintenance free

Product Specifications

Dimensions:	14" W x 20" H x6" D
AMP/kW/V/Phase	2 x 40 Amp Double Pole 18/14 kW/208/220/240 V/SP
Recommended Service	200 AMP
Energy Efficiency Rating	.98
Weight:	27lbs
Color:	White
Element:	Quartz heating elements
Fittings:	¾" NPT
Min Dynamic Operating pressure	15 PSI
Max. Dynamic Operating Pressure	150 PSI
UL Listed file number:	E212625 UL 499
U.S. Patent	US 8,744.252 B1











SIO 18 Pro Flex Flow Rates					
	Temperature Rise				
	75°	65°	55°	45°	35°
14 kW Mode	1.7	2.0	2.3	2.8	3.6
18 kW Mode	2.2	2.5	3.0	3.6	4.6

SioGreen has engineered and patented an electric tankless water heater system that eliminates all metal heating elements. By utilizing our multiple high-powered Quartz Heating Elements, we also eliminate the main issue of heater failure, sediment and mineral scaling.

Our systems can either replace or enhance existing water heater systems. The patented quartz technology will heat water more efficiently with a longer lifespan, and no maintenance will be required.

As a result, SioGreen Tankless Water Heaters will save up to 60% on water heating costs and up to 20% of water usage.

Special Design Services

www.siogreenpro.com

Inquiries for unique applications are welcome. Call our Technical Service Department at 1-888-270- 8452

Tested and Certified to DOE CFR Title 10 Energy Standards - Listed with California Energy Commission -Conforms to NSF/ANSI/CAN STD 372 - Complies with UL 499 CSA C22.2 No. 64-10 E212625